

Sample Canna Classic GDP 25mg (10g)

|                      |                                        |                  |                   |                    |              |
|----------------------|----------------------------------------|------------------|-------------------|--------------------|--------------|
| Lab ID:              | BBL_10775                              | Matrix:          | Edible            | Analyses Executed: | CAN          |
| Company:             | Hometown Hero                          | Lot ID:          | 2362026HTH0001449 | Reported:          | 07 Sep, 2026 |
| Phone:               | 512-551-0345                           | Received:        | 25 Aug, 2026      |                    |              |
| Address:             | 1170 N Birch Ave Broken Arrow OK 74012 |                  |                   |                    |              |
| Email:               | support@hometownhero.com               | Collection Date: | 21 Aug, 2026      | License Number :   | 363          |
| COA Expiration Date: | 26 Aug, 2027                           |                  |                   |                    |              |

Lab Notes: Results reported for sample as received. THCP, HHCP, HHCO, D8-iso-THC, D8-THCV and D10-THC are not A2LA accredited.


Cannabinoid Profile Analysis

Analyzed 25 Aug, 2026 | Instrument HPLC-PDA | Method TM-101  
Uncertainty Measurement at 95% confidence level is 10%, k=2

| Analyte                               | LOD (ppm) | LOQ (ppm) | Result % | Result (mg/g) | mg/pack | mg/unit |
|---------------------------------------|-----------|-----------|----------|---------------|---------|---------|
| Cannabidivarinic acid (CBDVa)         | 0.030     | 0.080     | ND       | ND            | ND      | ND      |
| Cannabidivarin (CBDV)                 | 0.050     | 0.150     | ND       | ND            | ND      | ND      |
| Cannabidiolic acid (CBDA)             | 0.040     | 0.110     | ND       | ND            | ND      | ND      |
| Cannabigerolic acid (CBGa)            | 0.040     | 0.120     | ND       | ND            | ND      | ND      |
| Cannabigerol (CBG)                    | 0.080     | 0.230     | ND       | ND            | ND      | ND      |
| Cannabidiol (CBD)                     | 0.060     | 0.190     | ND       | ND            | ND      | ND      |
| Tetrahydrocannabivarin (THCV)         | 0.080     | 0.240     | ND       | ND            | ND      | ND      |
| D8-Tetrahydrocannabivarin (D8-THCV)   | 0.200     | 0.600     | ND       | ND            | ND      | ND      |
| Tetrahydrocannabivarinic acid (THCVa) | 0.050     | 0.160     | ND       | ND            | ND      | ND      |
| Cannabinol (CBN)                      | 0.040     | 0.120     | ND       | ND            | ND      | ND      |
| Cannabinolic acid (CBNa)              | 0.080     | 0.250     | ND       | ND            | ND      | ND      |
| Exo-Tetrahydrocannabinol (exo-THC)    | 0.120     | 0.360     | ND       | ND            | ND      | ND      |
| D9-Tetrahydrocannabinol (D9-THC)      | 0.120     | 0.360     | 0.2378   | 2.378         | 237.8   | 23.78   |
| D8-Tetrahydrocannabinol (D8-THC)      | 0.140     | 0.430     | ND       | ND            | ND      | ND      |
| Cannabicyclol (CBL)                   | 0.210     | 0.640     | ND       | ND            | ND      | ND      |
| D9-Tetrahydrocannabinolic acid (THCa) | 0.130     | 0.400     | ND       | ND            | ND      | ND      |
| Cannabichromene (CBC)                 | 0.090     | 0.280     | ND       | ND            | ND      | ND      |
| Cannabichromenic acid (CBCa)          | 0.350     | 1.060     | ND       | ND            | ND      | ND      |
| Total THC (THCa * 0.877 + THC)        |           |           | 0.2378   | 0.2378        |         |         |
| Total CBD (CBDA * 0.877 + CBD)        |           |           | ND       | ND            |         |         |
| Total CBG (CBGa * 0.877 + CBG)        |           |           | ND       | ND            |         |         |
| Total Cannabinoids                    |           |           | 0.2378   | 2.378         | 237.8   | 23.78   |
| Total D9-THC (THCa * 0.877 + D9 THC)  |           |           | 0.2378   | 2.378         |         |         |

Total weight: 100.0000 g, Unit weight: 10.0000 g

Sample Photography



NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
07 Sep, 2026 03:20:25 PM

## FVI - Filth & Foreign Matter Inspection Analysis

Analyzed 25 Aug, 2026 | Instrument Microscope | Method TM-108

| Analyte Name                                                           | Result   |
|------------------------------------------------------------------------|----------|
| > 1/4 of the total sample area covered by sand soil cinders or dirt    | Negative |
| > 1/4 of the total sample area covered by mold                         | Negative |
| > 1 insect fragment 1 hair or 1 count mammalian excreta per 3g         | Negative |
| > 1/4 of the total sample area covered by an imbedded foreign material | Negative |

## HME - Heavy Metals Detection Analysis

Analyzed 25 Aug, 2026 | Instrument ICP-MS | Method TM-105  
Analysis Comment: Result '0' implies detection less than LOQ.

| Analyte      | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|--------------|-----------|-----------|-------------|------|------------|
| Arsenic (As) | 0.005     | 0.015     | ND          |      |            |
| Cadmium (Cd) | 0.005     | 0.016     | ND          |      |            |
| Mercury (Hg) | 0.004     | 0.013     | ND          |      |            |
| Lead (Pb)    | 0.075     | 0.224     | ND          |      |            |

## MIB - Microbial Testing Analysis

Analyzed 25 Aug, 2026 | Instrument PCR/ Plating | Method TM-109

| Analyte                                | Limit (CFU/g) | Result CFU/g | Flag |
|----------------------------------------|---------------|--------------|------|
| Salmonella SPP                         |               | Neg          |      |
| Total Yeast & Mold                     |               | <10          |      |
| Aspergillus fumigatus                  |               | Neg          |      |
| Aspergillus flavus                     |               | Neg          |      |
| Aspergillus niger                      |               | Neg          |      |
| Aspergillus terreus                    |               | Neg          |      |
| Shiga toxin-producing Escherichia Coli |               | Neg          |      |
| Total Aerobic Count                    |               | <10          |      |
| BTGN                                   |               | Neg          |      |

## MWA - Moisture Content & Water Activity

Analyzed 25 Aug, 2026 | Instrument Water Activity Meter | Method TM-107

| Analyte             | Results | Flag | Limit |
|---------------------|---------|------|-------|
| Water Activity (aW) | 0.5883  |      | 0.85  |
| Moisture (%)        | 6.1530  |      |       |

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to  
verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
07 Sep, 2026 03:20:25 PM



MTO - Mycotoxin Testing Analysis

Analyzed 25 Aug, 2026 | Instrument LCMS-MS | Method Subcontracted

| Analyte          | LOD (ppb) | LOQ (ppb) | Result ug/kg (ppb) | Flag | Limit ug/kg |
|------------------|-----------|-----------|--------------------|------|-------------|
| Mycotoxin B1     | 0.000     | 0.010     | N D                |      |             |
| Mycotoxin B2     | 0.010     | 0.030     | N D                |      |             |
| Mycotoxin G1     | 0.010     | 0.020     | N D                |      |             |
| Mycotoxin G2     | 0.010     | 0.040     | N D                |      |             |
| Ochratoxin A     | 0.020     | 0.060     | N D                |      |             |
| Total Mycotoxins |           |           | N D                |      |             |

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to  
verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
07 Sep, 2026 03:20:25 PM



PES - Pesticides Screening Analysis

Analyzed 25 Aug, 2026 | Instrument LCMS-MS | Method Subcontracted

| Analytes            | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|---------------------|-----------|-----------|-------------|------|------------|
| Abamectin           | 0.110     | 0.330     | N D         |      |            |
| Acephate            | 0.230     | 0.700     | N D         |      |            |
| Acequinocyl         | 0.110     | 0.320     | N D         |      |            |
| Acetamiprid         | 0.020     | 0.050     | N D         |      |            |
| Aldicarb            | 0.020     | 0.050     | N D         |      |            |
| Azoxystrobin        | 0.020     | 0.060     | N D         |      |            |
| Bifenazate          | 0.010     | 0.030     | N D         |      |            |
| Bifenthrin          | 0.020     | 0.060     | N D         |      |            |
| Boscalid            | 0.060     | 0.170     | N D         |      |            |
| Captan              | 3.096     | 9.383     | N D         |      |            |
| Carbaryl            | 0.010     | 0.040     | N D         |      |            |
| Carbofuran          | 0.010     | 0.020     | N D         |      |            |
| Chlorantraniliprole | 0.010     | 0.030     | N D         |      |            |
| Chlorpyrifos        | 0.010     | 0.030     | N D         |      |            |
| Clofentezine        | 0.010     | 0.040     | N D         |      |            |
| Coumaphos           | 0.040     | 0.120     | N D         |      |            |
| Cyfluthrin          | 2.320     | 7.020     | N D         |      |            |
| Cypermethrin        | 0.370     | 1.130     | N D         |      |            |
| Daminozide          | 0.550     | 1.650     | N D         |      |            |
| Dichlorvos          | 0.050     | 0.140     | N D         |      |            |
| Dimethoate          | 0.010     | 0.020     | N D         |      |            |
| Dimethomorph        | 0.010     | 0.030     | N D         |      |            |
| Ethoprophos         | 0.020     | 0.050     | N D         |      |            |
| Etofenprox          | 0.010     | 0.040     | N D         |      |            |
| Etoxazole           | 0.010     | 0.020     | N D         |      |            |
| Fenhexamid          | 0.040     | 0.140     | N D         |      |            |
| Fenoxycarb          | 0.020     | 0.060     | N D         |      |            |
| Fenpyroximate       | 0.010     | 0.040     | N D         |      |            |
| Fipronil            | 0.010     | 0.040     | N D         |      |            |
| Fludioxinil         | 0.020     | 0.050     | N D         |      |            |
| Flonicamid          | 0.010     | 0.030     | N D         |      |            |
| Hexythiazox         | 0.010     | 0.020     | N D         |      |            |
| Imazalil            | 0.060     | 0.170     | N D         |      |            |
| Imidacloprid        | 0.040     | 0.110     | N D         |      |            |
| Kresoxim-methyl     | 0.020     | 0.050     | N D         |      |            |
| Malathion           | 0.010     | 0.030     | N D         |      |            |
| Metalaxyl           | 0.010     | 0.020     | N D         |      |            |
| Methiocarb          | 0.010     | 0.030     | N D         |      |            |
| Methomyl            | 0.020     | 0.050     | N D         |      |            |
| Mevinphos           | 0.060     | 0.180     | N D         |      |            |
| Myclobutanil        | 1.190     | 3.610     | N D         |      |            |
| Naled               | 0.030     | 0.080     | N D         |      |            |
| Oxamyl              | 0.020     | 0.050     | N D         |      |            |
| Paclobutrazole      | 0.020     | 0.060     | N D         |      |            |

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
07 Sep, 2026 03:20:25 PM

\*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise.  
All required LQC (Laboratory Quality Control) samples were included in the performance of these analyses and met the acceptance criteria for ISO/IEC Regulations.

| Analytes                | LOD (ppb) | LOQ (ppb) | Result ug/g | Flag | Limit ug/g |
|-------------------------|-----------|-----------|-------------|------|------------|
| Permethrin              | 0.080     | 0.260     | N D         |      |            |
| Phosmet                 | 0.010     | 0.030     | N D         |      |            |
| Piperonyl butoxide      | 0.010     | 0.040     | N D         |      |            |
| Prallethrin             | 0.100     | 0.300     | N D         |      |            |
| Propiconazole           | 0.070     | 0.220     | N D         |      |            |
| Propoxur                | 0.010     | 0.030     | N D         |      |            |
| Pyrethrin-I             | 0.020     | 0.060     | N D         |      |            |
| Pyridaben               | 0.010     | 0.020     | N D         |      |            |
| Spinetoram              | 0.230     | 0.690     | N D         |      |            |
| Spinosyn A              | 0.010     | 0.020     | N D         |      |            |
| Spinosyn D              | 0.000     | 0.010     | N D         |      |            |
| Spiromesifen            | 0.050     | 0.140     | N D         |      |            |
| Spirotetramat           | 0.010     | 0.030     | N D         |      |            |
| Spiroxamine             | 0.010     | 0.030     | N D         |      |            |
| Tebuconazole            | 0.010     | 0.030     | N D         |      |            |
| Thiachloprid            | 0.010     | 0.030     | N D         |      |            |
| Methyl parathion        | 0.050     | 0.140     | N D         |      |            |
| Thiamethoxam            | 0.010     | 0.040     | N D         |      |            |
| Diazinon                | 0.010     | 0.040     | N D         |      |            |
| Chlordane               | 0.740     | 2.250     | N D         |      |            |
| Trifloxystrobin         | 0.010     | 0.030     | N D         |      |            |
| Chlorfenapyr            | 0.830     | 2.530     | N D         |      |            |
| Pentachloronitrobenzene | 0.060     | 0.170     | N D         |      |            |
| Chlormequat Chloride    | 0.010     | 0.030     | N D         |      |            |
| Azadirachtin            | 0.250     | 0.850     | N D         |      |            |

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to  
verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
07 Sep, 2026 03:20:25 PM



RES – Residual Solvent Analysis

Analyzed 25 Aug, 2026 | Instrument HS-GC/MS | Method TM-106

| Analyte            | LOD (ppm) | LOQ (ppm) | Result (ppm) | Flag | Limit ug/g |
|--------------------|-----------|-----------|--------------|------|------------|
| Propane            | 0.470     | 1.410     | N D          |      |            |
| Butane             | 0.200     | 0.610     | N D          |      |            |
| Methanol           | 0.070     | 0.230     | N D          |      |            |
| Ethylene Oxide     | 0.010     | 0.040     | N D          |      |            |
| Pentane            | 0.130     | 0.410     | N D          |      |            |
| Ethanol            | 0.130     | 0.380     | N D          |      |            |
| Ethyl ether        | 0.020     | 0.070     | N D          |      |            |
| Acetone            | 0.060     | 0.180     | N D          |      |            |
| Isopropyl alcohol  | 0.030     | 0.090     | N D          |      |            |
| Acetonitrile       | 0.020     | 0.060     | N D          |      |            |
| Methylene chloride | 0.010     | 0.020     | N D          |      |            |
| Hexane             | 0.030     | 0.080     | N D          |      |            |
| Ethyl acetate      | 0.030     | 0.080     | N D          |      |            |
| Chloroform         | 0.010     | 0.030     | N D          |      |            |
| Benzene            | 0.010     | 0.030     | N D          |      |            |
| 1,2-Dichloroethane | 0.010     | 0.030     | N D          |      |            |
| Heptane            | 0.020     | 0.060     | N D          |      |            |
| Trichloroethene    | 0.010     | 0.030     | N D          |      |            |
| Toluene            | 0.010     | 0.020     | N D          |      |            |
| Isobutane          | 3.900     | 11.820    | N D          |      |            |
| Ethyl benzene      | 1.700     | 5.160     | N D          |      |            |
| m,p-Xylenes        | 0.010     | 0.030     | N D          |      |            |
| o-Xylene           | 0.010     | 0.020     | N D          |      |            |
| 1,1-Dichloroethene | 0.010     | 0.030     | N D          |      |            |

NR Not Reportable  
ND Not Detected  
N/A Not Applicable  
NT Not Tested  
LOD Limit of Detection  
LOQ Limit of Quantification  
<LOQ Detected  
>ULOL Above upper limit of linearity  
CFU/g Colony Forming Units per 1 gram  
TNTC Too Numerous to Count



Scan the QR code to  
verify authenticity.

Authorized Signature

Thinh Ngo

Thinh Ngo  
Laboratory Director  
07 Sep, 2026 03:20:25 PM