

SAMPLE DETAILS

SAMPLE NAME: Home town hero agave Syrup 120 mg

Infused, Liquid Edible

CULTIVATOR / MANUFACTURER

Business Name:**License Number:****Address:**

DISTRIBUTOR / TESTED FOR

Business Name: Hometown Hero**License Number:** 363**Address:** 1170 N Birch Ave
Broken Arrow OK 74012

SAMPLE DETAIL

Batch Number: 198HTH6002**Sample ID:** 260729L017**Date Collected:** 07/29/2026**Date Received:** 07/29/2026**Batch Size:****Sample Size:** 1.0 unit**Unit Mass:** 118 milliliters per Unit**Serving Size:** 14.787 milliliters per ServingScan QR code to verify
authenticity of results.

CANNABINOID ANALYSIS - SUMMARY

Total THC: 120.006 mg/unit**Total CBD:** Not Detected**Sum of Cannabinoids:** 120.006 mg/unit**Total Cannabinoids:** 120.006 mg/unitTotal THC/CBD is calculated using the following formulas to take into
account the loss of a carboxyl group during the decarboxylation step:Total THC = Δ^9 -THC + (THCa (0.877))

Total CBD = CBD + (CBDa (0.877))

Sum of Cannabinoids = Δ^9 -THC + THCa + CBD + CBDa + CBG + CBGa +THCV + THCVa + CBC + CBCa + CBDV + CBDVa + Δ^8 -THC + CBL + CBNTotal Cannabinoids = (Δ^9 -THC+0.877*THCa) + (CBD+0.877*CBDa) +

(CBG+0.877*CBGa) + (THCV+0.877*THCVa) + (CBC+0.877*CBCa) +

(CBDV+0.877*CBDVa) + Δ^8 -THC + CBL + CBN**Density:** 1.388 g/mL

SAFETY ANALYSIS - SUMMARY

Pesticides:  PASS**Mycotoxins:**  PASS**Residual Solvents:**  PASS**Heavy Metals:**  PASS**Microbiology (PCR):**  PASS**Microbiology (Plating):** ND

For quality assurance purposes. Not a Regulatory Hemp Lab Test Report. These results relate only
to the sample included on this report. This report shall not be reproduced, except in full, without written
approval of the laboratory.

Sample Certification: California Code of Regulations Title 4 Division 19, Department of Cannabis Control
Business and Professions Code. Reference: Sections 26100, 26104 and 26110, Business and Professions Code.

Decision Rule: Statements of conformity (e.g. Pass/Fail) to specifications are made in this report without taking
measurement uncertainty into account. Where statements of conformity are made in this report, the following
decision rules are applied: PASS - Results within limits/specifications, FAIL - Results exceed limits/specifications.

References: limit of detection (LOD), limit of quantification (LOQ), not detected (ND), not tested (NT),
 $\mu\text{g/g}$ = ppm, $\mu\text{g/kg}$ = ppb, too numerous to count >250 cfu/plate (TNTC), colony-forming unit (cfu)

Amendment to Certificate of Analysis 260729L017-002



Cannabinoi*d* Analysis

Tested by high-performance liquid chromatography with diode-array detection (HPLC-DAD).

Method: QSP 1157 - Analysis of Cannabinoids by HPLC-DAD

TOTAL THC: 120.006 mg/unit

Total THC (Δ^9 -THC+0.877*THCa)

TOTAL CBD: Not Detected

Total CBD (CBD+0.877*CBDa)

TOTAL CANNABINOIDS: 120.006 mg/unit

Total Cannabinoids (Total THC) + (Total CBD) + (Total CBG) + (Total THCV) + (Total CBC) + (Total CBDV) + Δ^8 -THC + CBL + CBN

TOTAL CBG: ND

Total CBG (CBG+0.877*CBGa)

TOTAL THCV: ND

Total THCV (THCV+0.877*THCVa)

TOTAL CBC: ND

Total CBC (CBC+0.877*CBCa)

TOTAL CBDV: ND

Total CBDV (CBDV+0.877*CBDVa)

CANNABINOID TEST RESULTS - 08/01/2026

COMPOUND	LOD/LOQ (mg/mL)	MEASUREMENT UNCERTAINTY (mg/mL)	RESULT (mg/mL)	RESULT (%)
Δ^9 -THC	0.002 / 0.014	± 0.0558	1.017	0.0733
Δ^8 -THC	0.01 / 0.02	N/A	ND	ND
THCa	0.001 / 0.005	N/A	ND	ND
THCV	0.002 / 0.012	N/A	ND	ND
THCVa	0.002 / 0.019	N/A	ND	ND
CBD	0.004 / 0.011	N/A	ND	ND
CBDa	0.001 / 0.026	N/A	ND	ND
CBDV	0.002 / 0.012	N/A	ND	ND
CBDVa	0.001 / 0.018	N/A	ND	ND
CBG	0.002 / 0.006	N/A	ND	ND
CBGa	0.002 / 0.007	N/A	ND	ND
CBL	0.003 / 0.010	N/A	ND	ND
CBN	0.001 / 0.007	N/A	ND	ND
CBC	0.003 / 0.010	N/A	ND	ND
CBCa	0.001 / 0.015	N/A	ND	ND
SUM OF CANNABINOIDS			1.017 mg/mL	0.0733%

Unit Mass: 118 milliliters per Unit / Serving Size: 14.787 milliliters per Serving

Δ^9 -THC per Unit	120.006 mg/unit
Δ^9 -THC per Serving	15.038 mg/serving
Total THC per Unit	120.006 mg/unit
Total THC per Serving	15.038 mg/serving
CBD per Unit	ND
CBD per Serving	ND
Total CBD per Unit	ND
Total CBD per Serving	ND
Sum of Cannabinoids per Unit	120.006 mg/unit
Sum of Cannabinoids per Serving	15.038 mg/serving
Total Cannabinoids per Unit	120.006 mg/unit
Total Cannabinoids per Serving	15.038 mg/serving

DENSITY TEST RESULT

1.388 g/mL
Tested 08/01/2026
Method: QSP 7870 - Sample Preparation



Pesticide Analysis

Pesticide and plant growth regulator analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS) or gas chromatography-mass spectrometry (GC-MS).

*GC-MS utilized where indicated.

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS or QSP 1213 - Analysis of Pesticides by GC-MS

PESTICIDE TEST RESULTS - 08/06/2026 ✓ PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Abamectin	0.032 / 0.097	0.3	N/A	ND	PASS
Acephate	0.006 / 0.018	5	N/A	ND	PASS
Acequinocyl	0.009 / 0.027	4	N/A	ND	PASS
Acetamiprid	0.016 / 0.049	5	N/A	ND	PASS
Aldicarb	0.030 / 0.090	≥ LOD	N/A	ND	PASS
Allethrin	0.030 / 0.092		N/A	ND	
Atrazine	0.006 / 0.019		N/A	ND	
Azadirachtin	0.082 / 0.248		N/A	ND	
Azoxystrobin	0.003 / 0.009	40	N/A	ND	PASS
Benzovindiflupyr	0.003 / 0.009		N/A	ND	
Bifenazate	0.003 / 0.009	5	N/A	ND	PASS
Bifenthrin	0.021 / 0.064	0.5	N/A	ND	PASS
Boscalid	0.003 / 0.009	10	N/A	ND	PASS
Buprofezin [†]	0.006 / 0.019		N/A	ND	
Carbaryl	0.007 / 0.020	0.5	N/A	ND	PASS
Carbofuran	0.003 / 0.008	≥ LOD	N/A	ND	PASS
Chlorantraniliprole	0.006 / 0.018	40	N/A	ND	PASS
Chlorfenapyr [*]	0.005 / 0.015	≥ LOD	N/A	ND	PASS
Chlorpyrifos	0.013 / 0.039	≥ LOD	N/A	ND	PASS
Clofentezine	0.003 / 0.009	0.5	N/A	ND	PASS
Clothianidin	0.008 / 0.025		N/A	ND	
Coumaphos	0.003 / 0.010	≥ LOD	N/A	ND	PASS
Cyantraniliprole	0.003 / 0.010		N/A	ND	
Cyfluthrin	0.052 / 0.159	1	N/A	ND	PASS
Cypermethrin	0.051 / 0.153	1	N/A	ND	PASS
Cyprodinil [†]	0.003 / 0.008		N/A	ND	
Daminozide	0.026 / 0.077	≥ LOD	N/A	ND	PASS
Deltamethrin	0.059 / 0.180		N/A	ND	
Diazinon	0.006 / 0.017	0.2	N/A	ND	PASS
Dichlorvos (DDVP)	0.012 / 0.038	≥ LOD	N/A	ND	PASS
Dimethoate	0.003 / 0.009	≥ LOD	N/A	ND	PASS
Dimethomorph	0.016 / 0.050	20	N/A	ND	PASS
Dinotefuran	0.010 / 0.030		N/A	ND	
Diuron	0.013 / 0.040		N/A	ND	
Dodemorph	0.012 / 0.035		N/A	ND	
Endosulfan sulfate	0.016 / 0.048		N/A	ND	
Endosulfan-α [*]	0.004 / 0.014		N/A	ND	
Endosulfan-β [*]	0.006 / 0.019		N/A	ND	
Ethoprophos	0.003 / 0.009	≥ LOD	N/A	ND	PASS
Etofenprox	0.014 / 0.042	≥ LOD	N/A	ND	PASS
Etoxazole	0.007 / 0.020	1.5	N/A	ND	PASS

Continued on next page



Pesticide Analysis *Continued*

PESTICIDE TEST RESULTS - 08/06/2026 *continued* ✓ PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Etridiazole*	0.002 / 0.005		N/A	ND	
Fenhexamid	0.003 / 0.008	10	N/A	ND	PASS
Fenoxycarb	0.003 / 0.010	≥ LOD	N/A	ND	PASS
Fenpyroximate	0.007 / 0.020	2	N/A	ND	PASS
Fensulfothion	0.003 / 0.010		N/A	ND	
Fenthion	0.003 / 0.010		N/A	ND	
Fenvalerate†	0.033 / 0.099		N/A	ND	
Fipronil	0.003 / 0.010	≥ LOD	N/A	ND	PASS
Flonicamid	0.007 / 0.022	2	N/A	ND	PASS
Fludioxonil	0.003 / 0.010	30	N/A	ND	PASS
Fluopyram†	0.003 / 0.009		N/A	ND	
Hexythiazox	0.003 / 0.010	2	N/A	ND	PASS
Imazalil	0.003 / 0.009	≥ LOD	N/A	ND	PASS
Imidacloprid	0.003 / 0.010	3	N/A	ND	PASS
Iprodione	0.077 / 0.233		N/A	ND	
Kinoprene	0.077 / 0.233		N/A	ND	
Kresoxim-methyl	0.006 / 0.019	1	N/A	ND	PASS
λ-Cyhalothrin	0.068 / 0.206		N/A	ND	
Malathion	0.003 / 0.009	5	N/A	ND	PASS
Metaxyl	0.003 / 0.010	15	N/A	ND	PASS
Methiocarb	0.003 / 0.008	≥ LOD	N/A	ND	PASS
Methomyl	0.008 / 0.025	0.1	N/A	ND	PASS
Methoprene	0.172 / 0.521		N/A	ND	
Mevinphos	0.008 / 0.024	≥ LOD	N/A	ND	PASS
MGK-264	0.015 / 0.047		N/A	ND	
Myclobutanil	0.003 / 0.009	9	N/A	ND	PASS
Naled	0.021 / 0.064	0.5	N/A	ND	PASS
Novaluron	0.002 / 0.005		N/A	ND	
Oxamyl	0.017 / 0.051	0.2	N/A	ND	PASS
Paclobutrazol	0.003 / 0.010	≥ LOD	N/A	ND	PASS
Parathion-methyl	0.016 / 0.050	≥ LOD	N/A	ND	PASS
Pentachloronitrobenzene (Quintozene)*	0.004 / 0.012	0.2	N/A	ND	PASS
Permethrin	0.056 / 0.168	20	N/A	ND	PASS
Phenothrin	0.016 / 0.047		N/A	ND	
Phosmet	0.007 / 0.020	0.2	N/A	ND	PASS
Piperonyl Butoxide	0.010 / 0.029	8	N/A	ND	PASS
Pirimicarb	0.003 / 0.009		N/A	ND	
Prallethrin	0.015 / 0.046	0.4	N/A	ND	PASS
Propiconazole	0.027 / 0.080	20	N/A	ND	PASS
Propoxur	0.003 / 0.008	≥ LOD	N/A	ND	PASS
Pyraclostrobin	0.003 / 0.010		N/A	ND	

Continued on next page



Pesticide Analysis *Continued*

PESTICIDE TEST RESULTS - 08/06/2026 *continued* ✓ **PASS**

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Pyrethrins	0.016 / 0.049	1	N/A	ND	PASS
Pyridaben	0.005 / 0.017	3	N/A	ND	PASS
Pyriproxyfen	0.003 / 0.009		N/A	ND	
Resmethrin	0.013 / 0.039		N/A	ND	
Spinetoram	0.003 / 0.010	3	N/A	ND	PASS
Spinosad	0.003 / 0.010	3	N/A	ND	PASS
Spirodiclofen	0.031 / 0.093		N/A	ND	
Spiromesifen	0.016 / 0.050	12	N/A	ND	PASS
Spirotetramat	0.003 / 0.010	13	N/A	ND	PASS
Spiroxamine	0.020 / 0.062	≥ LOD	N/A	ND	PASS
Tebuconazole	0.003 / 0.010	2	N/A	ND	PASS
Tebufenozide	0.003 / 0.008		N/A	ND	
Teflubenzuron	0.007 / 0.022		N/A	ND	
Tetrachlorvinphos	0.003 / 0.008		N/A	ND	
Tetramethrin	0.021 / 0.063		N/A	ND	
Thiabendazole	0.006 / 0.020		N/A	ND	
Thiacloprid	0.003 / 0.009	≥ LOD	N/A	ND	PASS
Thiamethoxam	0.003 / 0.010	4.5	N/A	ND	PASS
Thiophanate-methyl	0.013 / 0.040		N/A	ND	
Trifloxystrobin	0.003 / 0.009	30	N/A	ND	PASS



Mycotoxin Analysis

Mycotoxin analysis utilizing high-performance liquid chromatography-mass spectrometry (HPLC-MS).

Method: QSP 1212 - Analysis of Pesticides and Mycotoxins by LC-MS

MYCOTOXIN TEST RESULTS - 08/06/2026 ✓ **PASS**

COMPOUND	LOD/LOQ (µg/kg)	ACTION LIMIT (µg/kg)	MEASUREMENT UNCERTAINTY (µg/kg)	RESULT (µg/kg)	RESULT
Aflatoxin B1	1.6 / 5.0		N/A	ND	
Aflatoxin B2	1.4 / 4.1		N/A	ND	
Aflatoxin G1	1.6 / 4.9		N/A	ND	
Aflatoxin G2	1.6 / 5.0		N/A	ND	
Ochratoxin A	1.6 / 5.0	20	N/A	ND	PASS
Total Aflatoxin		20		ND	PASS



Residual Solvents Analysis

Residual Solvent analysis utilizing gas chromatography-mass spectrometry (GC-MS).

Method: QSP 1204 - Analysis of Residual Solvents by GC-MS

Total Butanes = n-Butane + 2-Methylpropane (Isobutane)
Total Heptanes = 2,2-Dimethylpentane (Neoheptane) +
 2,3-Dimethylpentane + 2,4-Dimethylpentane + 3,3-Dimethylpentane +
 2,2,3-Trimethylbutane (Triptane) + 2-Methylhexane (Isoheptane) +
 3-Methylhexane + 3-Ethylpentane + n-Heptane
Total Xylenes = 1,2-Dimethylbenzene (o-Xylene) +
 1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene)

RESIDUAL SOLVENTS TEST RESULTS - 08/06/2026 ✓ PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Propane	0.234 / 0.781	5000	N/A	ND	PASS
2-Methylpropane (Isobutane)	0.052 / 0.173		N/A	ND	
n-Butane	0.019 / 0.063	5000	N/A	ND	PASS
Total Butanes				ND	
n-Pentane	0.310 / 1.033	5000	N/A	ND	PASS
n-Hexane	0.110 / 0.366	290	N/A	ND	PASS
2,2-Dimethylpentane (Neoheptane)	0.493 / 1.642		N/A	ND	
2,3-Dimethylpentane	1.009 / 3.365		N/A	ND	
2,4-Dimethylpentane	0.737 / 2.458		N/A	ND	
3,3-Dimethylpentane	0.198 / 0.660		N/A	ND	
2,2,3-Trimethylbutane (Triptane)	0.521 / 1.738		N/A	ND	
2-Methylhexane (Isoheptane)	0.610 / 2.034		N/A	ND	
3-Methylhexane	0.235 / 0.785		N/A	ND	
3-Ethylpentane	0.304 / 1.012		N/A	ND	
n-Heptane	13.12 / 43.72	5000	N/A	ND	PASS
Total Heptanes				ND	
Benzene	0.089 / 0.295	1	N/A	ND	PASS
Toluene	0.115 / 0.382	890	N/A	ND	PASS
1,3-Dimethylbenzene (m-Xylene) / 1,4-Dimethylbenzene (p-Xylene)	0.451 / 1.502		N/A	ND	
1,2-Dimethylbenzene (o-Xylene)	0.387 / 1.289		N/A	ND	
Total Xylenes		2170		ND	PASS
Methanol	53.92 / 163.4	3000	N/A	ND	PASS
Ethanol	8.984 / 27.23	5000	N/A	ND	PASS
2-Propanol (Isopropyl Alcohol)	8.421 / 25.52	5000	N/A	ND	PASS
Acetone	10.59 / 32.08	5000	N/A	ND	PASS
Ethyl Acetate	1.123 / 3.745	5000	N/A	ND	PASS



Heavy Metals Analysis

Heavy metal analysis utilizing inductively coupled plasma-mass spectrometry (ICP-MS).

Method: QSP 1160 - Analysis of Heavy Metals by ICP-MS

HEAVY METALS TEST RESULTS - 08/04/2026 ✓ PASS

COMPOUND	LOD/LOQ (µg/g)	ACTION LIMIT (µg/g)	MEASUREMENT UNCERTAINTY (µg/g)	RESULT (µg/g)	RESULT
Arsenic	0.02 / 0.1	1.5	N/A	ND	PASS
Cadmium	0.02 / 0.05	0.5	N/A	ND	PASS
Lead	0.04 / 0.1	0.5	N/A	ND	PASS
Mercury	0.002 / 0.01	3	N/A	ND	PASS



Microbiology Analysis

PCR AND PLATING

Analysis conducted by polymerase chain reaction (PCR) and fluorescence detection of microbiological contaminants.

Method: QSP 1221 - Analysis of Microbiological Contaminants

Analysis conducted by 3M™ Petrifilm™ and plate counts of microbiological contaminants.

Method: QSP 6794 - Plating with 3M™ Petrifilm™

MICROBIOLOGY TEST RESULTS (PCR) - 08/07/2026 PASS

COMPOUND	ACTION LIMIT	RESULT	RESULT
<i>Salmonella</i> spp.	Not Detected in 1g	ND	PASS
Shiga toxin-producing <i>Escherichia coli</i>	Not Detected in 1g	ND	PASS

MICROBIOLOGY TEST RESULTS (PLATING) - 08/07/2026 ND

COMPOUND	RESULT (cfu/g)
Coliforms	ND
Total Aerobic Bacteria	ND
Total Yeast and Mold	ND

NOTES

Sample serving mass provided by client. Sample unit mass provided by client.


Cannabinoids: Sample Raw Data

Injection Name: 260729L017-CT-A1B1C1

Injection Time: 01/08/2026 15:34

Chromatogram

Vial Position: RE8



Injection Name: 260729L017-CT-A1B1C1					Injection Time: 01/08/2026 15:34	
Raw Data Table					Vial Position: RE8	
Peak No.	Peak Name	Retention Time min	Area mAU*min	Height mAU	Amount ug/mL	Wavelength nm
UV_VIS_2	UV VIS 2	UV VIS 2	UV VIS 2	UV VIS 2	UV VIS 2	UV VIS 2
3	?8-THC	6.172	0.137	2.011	1.8724	222.0
No.	Peak Name	Retention Time min	Area mAU*min	Height mAU	Amount ug/mL	Wavelength nm
UV_VIS_3	UV VIS 3	UV VIS 3	UV VIS 3	UV VIS 3	UV VIS 3	UV VIS 3
1	B4HB	1.359	69.516	2632.258	765.6334	235.0
2	THC	6.015	2.764	41.942	32.9790	235.0
No.	Peak Name	Retention Time min	Area mAU*min	Height mAU	Amount ug/mL	Wavelength nm
UV_VIS_4	UV VIS 4	UV VIS 4	UV VIS 4	UV VIS 4	UV VIS 4	UV VIS 4

Injection No.	Instrument	Position		Volume μL	Inject Time
1	HPLC_SC_02	RA1	Blank	5.00	260801 13:00
2	HPLC_SC_02	RA2	QC336480CCV1	5.00	260801 13:09
3	HPLC_SC_02	RD2	260730W009-CT-A1B1C1	5.00	260801 13:18
4	HPLC_SC_02	RD3	260730W009-CT-A1B2C1	5.00	260801 13:27
5	HPLC_SC_02	RD4	260730W007-CT-A1B1C1	5.00	260801 13:36
6	HPLC_SC_02	RD5	260730W007-CT-A1B2C1	5.00	260801 13:45
7	HPLC_SC_02	RD6	260730W006-CT-A1B1C1	5.00	260801 13:54
8	HPLC_SC_02	RD7	260730W006-CT-A1B2C1	5.00	260801 14:03
9	HPLC_SC_02	RD8	260730W005-CT-A1B1C1	5.00	260801 14:12
10	HPLC_SC_02	RE1	260730W005-CT-A1B2C1	5.00	260801 14:22
11	HPLC_SC_02	RE2	260730W004-CT-A1B1C1	5.00	260801 14:31
12	HPLC_SC_02	RE3	260730W004-CT-A1B2C1	5.00	260801 14:40
13	HPLC_SC_02	RA2	QC336480CCV2	5.00	260801 14:49
14	HPLC_SC_02	RE4	260730W003-CT-A1B1C1	5.00	260801 14:58
15	HPLC_SC_02	RE5	260730W003-CT-A1B2C1	5.00	260801 15:07
16	HPLC_SC_02	RE6	260729R009-CT-A3B1C1	5.00	260801 15:16
17	HPLC_SC_02	RE7	260729R009-CT-A3B2C1	5.00	260801 15:25
18	HPLC_SC_02	RE8	260729L017-CT-A1B1C1	5.00	260801 15:34
19	HPLC_SC_02	GA1	260729L017-CT-A1B2C1	5.00	260801 15:43
20	HPLC_SC_02	RA2	QC336480CCV3	5.00	260801 15:52

Retention (DETECTED) min UV_VIS_3 B4HB	Area mAU*min UV_VIS_3 B4HB	Amount µg/mL UV_VIS_3 B4HB	Retention (DETECTED) min UV_VIS_4 CBDVA	Area mAU*min UV_VIS_4 CBDVA
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	2.06	1.089546647
1.36	69.169	761.8115722	n.a.	n.a.
1.36	4.419	48.50844411	n.a.	n.a.
1.36	68.994	759.8902156	n.a.	n.a.
1.36	4.751	52.16811308	n.a.	n.a.
1.36	69.483	765.2710686	n.a.	n.a.
1.36	4.765	52.32935858	n.a.	n.a.
1.36	69.168	761.8024448	n.a.	n.a.
1.36	4.758	52.24560755	n.a.	n.a.
1.36	69.481	765.2525449	n.a.	n.a.
1.36	4.431	48.64176709	n.a.	n.a.
n.a.	n.a.	n.a.	2.06	1.095343317
1.36	69.403	764.388676	n.a.	n.a.
1.36	4.824	52.97735579	n.a.	n.a.
1.36	69.715	767.8322662	n.a.	n.a.
1.36	4.852	53.2875316	n.a.	n.a.
1.36	69.516	765.633432	n.a.	n.a.
1.36	4.737	52.02093147	n.a.	n.a.
n.a.	n.a.	n.a.	2.06	1.089529333

Amount µg/mL UV_VIS_4 CBDVA	Retention (DETECTE min UV_VIS_2 CBDV	Area mAU*min UV_VIS_2 CBDV	Amount µg/mL UV_VIS_2 CBDV	Retention (DETECTE min UV_VIS_4 CBDA
n.a.	n.a.	n.a.	n.a.	n.a.
9.6417	2.29	1.935	9.8962	2.88
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
9.6932	2.29	1.911	9.7758	2.88
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
9.6416	2.29	1.866	9.5440	2.88

Area mAU*min UV_VIS_4 CBDA	Amount µg/mL UV_VIS_4 CBDA	Retention (DETECTE min UV_VIS_2 CBGA	Area mAU*min UV_VIS_2 CBGA	Amount µg/mL UV_VIS_2 CBGA
n.a.	n.a.	n.a.	n.a.	n.a.
0.9917429654	9.457229758	3.03	2.384	9.9810
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
0.9953685559	9.49186929	3.02	2.484	10.4038
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
0.9961595397	9.49942649	3.03	2.409	10.0889

Retention (DETECTED) min UV_VIS_2 CBG	Area mAU*min UV_VIS_2 CBG	Amount µg/mL UV_VIS_2 CBG	Retention (DETECTED) min UV_VIS_3 CBD	Area mAU*min UV_VIS_3 CBD
n.a.	n.a.	n.a.	n.a.	n.a.
3.22	1.742	9.6096	3.43	0.7975186518
3.23	0.262	1.6142	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
3.23	0.345	2.0647	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
3.23	0.259	1.6003	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
3.23	0.279	1.7081	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
3.22	0.290	1.7689	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
3.23	1.804	9.9483	3.44	0.7912695163
3.23	1.125	6.2714	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
3.22	1.774	9.7846	3.44	0.7900279475

Amount µg/mL UV_VIS_3 CBD	Retention (DETECTE min UV_VIS_2 THCV	Area mAU*min UV_VIS_2 THCV	Amount µg/mL UV_VIS_2 THCV	Retention (DETECTE min UV_VIS_4 THCVA
n.a.	n.a.	n.a.	n.a.	n.a.
9.128936303	3.67	1.725	9.8311	4.67
n.a.	3.67	0.078	0.1866	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	3.68	0.106	0.3498	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	3.65	0.050	0.0260	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	3.67	0.108	0.3625	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	3.66	0.102	0.3281	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
9.056829546	3.66	1.726	9.8335	4.67
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
9.042503642	3.66	1.735	9.8898	4.67

Area mAU*min UV_VIS_4 THCVA	Amount µg/mL UV_VIS_4 THCVA	Retention (DETECTE min UV_VIS_3 CBN	Area mAU*min UV_VIS_3 CBN	Amount µg/mL UV_VIS_3 CBN
n.a.	n.a.	n.a.	n.a.	n.a.
1.250	9.5773	4.99	1.862578621	8.984661373
n.a.	n.a.	4.99	0.06970324615	0.4248624672
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	5.01	0.1145487711	0.6386469662
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	5.00	0.08085631972	0.4780290864
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	5.00	0.07144423343	0.4331616733
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	5.00	0.0765597735	0.4575473612
n.a.	n.a.	n.a.	n.a.	n.a.
1.255	9.6102	4.99	1.890888332	9.120034912
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
1.265	9.6936	4.99	1.914859682	9.234668142

Retention (DETECTE min UV_VIS_3 THC	Area mAU*min UV_VIS_3 THC	Amount µg/mL UV_VIS_3 THC	Retention (DETECTE min UV_VIS_2 ?8-THC	Area mAU*min UV_VIS_2 ?8-THC
n.a.	n.a.	n.a.	n.a.	n.a.
6.02	0.8111156326	9.905165689	6.17	1.425
6.02	4.624017541	54.9515143	n.a.	n.a.
6.02	0.2161261994	2.875847318	n.a.	n.a.
6.02	5.863462468	69.59455249	n.a.	n.a.
6.02	0.29889721	3.853719787	n.a.	n.a.
6.02	4.39887936	52.29168899	n.a.	n.a.
6.01	0.2237374638	2.965768244	n.a.	n.a.
6.02	4.52140067	53.73917906	n.a.	n.a.
6.02	0.2384715864	3.139839972	n.a.	n.a.
6.02	5.25126663	62.36195438	n.a.	n.a.
6.02	0.2514528455	3.293203037	n.a.	n.a.
6.02	0.8215475148	10.02840993	6.17	1.416
6.02	5.549270349	65.88262702	n.a.	n.a.
6.02	0.2908308168	3.758421883	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
6.01	2.764179489	32.97903369	6.17	0.137
6.03	0.1431996898	2.014279658	n.a.	n.a.
6.02	0.7766356968	9.497813167	6.17	1.237

Amount µg/mL UV_VIS_2 8-THC	Retention (DETECTE min UV_VIS_3 CBL	Area mAU*min UV_VIS_3 CBL	Amount µg/mL UV_VIS_3 CBL	Retention (DETECTE min UV_VIS_2 CBC
n.a.	n.a.	n.a.	n.a.	n.a.
10.8477	6.73	0.895	9.3778	6.89
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	6.91
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
10.7831	6.73	0.884	9.2727	6.89
n.a.	n.a.	n.a.	n.a.	6.90
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
1.8724	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
9.5318	6.73	0.878	9.2113	6.90

Area mAU*min UV_VIS_2 CBC	Amount µg/mL UV_VIS_2 CBC	Retention (DETECTE min UV_VIS_4 THCA	Area mAU*min UV_VIS_4 THCA	Amount µg/mL UV_VIS_4 THCA
n.a.	n.a.	n.a.	n.a.	n.a.
2.267	10.1672	7.12	1.197319962	10.59490022
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
0.038	0.4008	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
2.231	10.0049	7.12	1.197659389	10.5979081
0.239	1.2753	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
n.a.	n.a.	n.a.	n.a.	n.a.
2.227	9.9876	7.12	1.197705151	10.59831362

Retention (DETECTION)	Area	Amount
min	mAU*min	µg/mL
UV_VIS_3	UV_VIS_3	UV_VIS_3
CBCA	CBCA	CBCA
n.a.	n.a.	n.a.
7.58	1.394	9.8637
n.a.	n.a.	n.a.
n.a.	n.a.	n.a.
n.a.	n.a.	n.a.
n.a.	n.a.	n.a.
n.a.	n.a.	n.a.
n.a.	n.a.	n.a.
n.a.	n.a.	n.a.
n.a.	n.a.	n.a.
n.a.	n.a.	n.a.
7.58	1.402	9.9215
n.a.	n.a.	n.a.
n.a.	n.a.	n.a.
n.a.	n.a.	n.a.
n.a.	n.a.	n.a.
n.a.	n.a.	n.a.
n.a.	n.a.	n.a.
7.58	1.434	10.1433